







NO PAINT NEEDED SAVE ON MAINTENANCE



100% COLOUR DEPTH COLOUR WON'T SCRATCH OFF



FLAME
RESISTANT
PEACE OF MIND



CORROSION, ROT AND TERMITE PROOF DURABLE & LONG LASTING



EASY MAINTENANCE A SIMPLE WASH FROM TIME TO TIME



FIRST COST IS LAST COST COUNT YOUR SAVINGS FOR YEARS TO COME





ARMOUR II

COVERAGE 159mm

Designed and manufactured in Australia, our products suit both traditional and contemporary house exteriors. Our cladding has been subjected to the rigorous physical test requirements of AS/NZS 4257.1, .6, .7, and .8 and has passed with ease. ARMOURBOARD has a unique profile – its design provides for a vinyl thickness of 6 mm. This board has been developed here in Australia to suit Australian homes

Our products are formulated with careful attention to the UV conditions of the harsh Australian climate. The extrusion processes we have developed ensure that the colour and UV resistance are consistent all the way through each product – not just limited to the surface. These features, presented with clean glossy lines and embossed wood-grain surfaces, bring you products that deliver years of effective and stylish good looks with minimal upkeep.

We provide a factory warranty on all products, copy available on request. This warranty gives full (not pro rata) protection for fifty years.

- SOLID 6MM VINYL THICKNESS
- AUSTRALIAN MADE
- DESIGNED ESPECIALLY FOR THE AUSTRALIAN CLIMATE
- TYPE 'A' BOARD AS CLASSIFIED BY AUSTRALIAN STANDARDS
- HIGHLY UV RESISTANT
- STRONG AND DURABLE
- DESIGNED TO AS/NZS 4256.4
- 50 YEAR WARRANTY
- CERTIFIED SYSTEM
 MEETS BAL29





ARMOUR II

ARMOUR II is a unique wall cladding with fresh and graceful lines. The extra thickness of this product delivers a great degree of strength and durability. Like all our claddings, this product comes with a complete suite of trims to complement the finished walls. Whether used for enhancing new work or upgrading existing homes, the results are long-lasting and

Our cladding is lightweight and most installations take just a few days with minimum

Maintenance is not demanding – a guick wash down from time to time will keep the appearance fresh and attractive. A mild detergent can be used – refer to our care guide for complete information.





UNIQUE THICKNESS

ARMOUR II has a designed thickness of 6 mm of solid vinyl for added strength and durability.

AUSTRALIAN MADE

Designed and manufactured in Australia for Australian conditions.

DISTINCTIVE PROFILE

No product matches the graceful lines of this unique cladding.

LOW MAINTENANCE

GLOSS TIMBER LOOK

A low maintenance product that can keep its eye-catching looks for years to come.

UV RESISTANT

Careful design and blending of components ensures all-through UV resistance.

TESTED TO AS/NZS 4256.4

ARMOUR II meets all the physical tests of these standards.

BAL29 CERTIFIED SYSTEM

When installed in accordance with VPIs system, Armour II meets BAL29 compliance.



IDEAL FOR

- LIGHTWEIGHT CLADDING FOR 1ST FLOOR EXTERIORS
- TOWNHOUSES
- BEACH HOUSES
- TRADITIONAL STYLE

 "WEATHERBOARD" HOMES
- FEATURE WALLS






VPI Building Products

PO Box 485 (25 Whitton Street) Katoomba NSW 2780 Telephone: 1300 844 202 Fax: (02) 4782 0699

Email: sales@vpi.com.au

www.vpi.com.au

ACCESSORIES



COLOUR RANGE



WHITE



LINEN



RIVER GUM



VANILLA



HARVEST GOLD



GLADE



GREY

COLOURS ARE THE BEST REPRESENTATION AVAILABLE USING MODERN PRINTING PROCESSES; FOR COMPLETE ASSURANCE ASK TO SEE OUR COLOUR SWATCH.

DISTRIBUTED BY

